



Product Data Sheet

Midwest Landscapers Pro All Purpose Potting Soil



Product Description:

Coarse southern pine bark is utilized in the blend to provide long term structural stability as the larger particle sizes are more resistant to degradation over time due to smaller relative surface area. This pine also provides adequate porosity to the blend, eliminating the need for aggregates such as perlite. Mix is pH buffered with a combination of dolomitic and high calcium lime to ensure proper Ca/Mg balance in the substrate. Starter charge provides up to 2 weeks of crop support. Controlled release 19-5-8 included for continuous feed all season. Blue chip (38-0-0) is included to stabilize the organic matter in blends to prevent any nitrogen immobilization. The Midwest Landscapers Pro All Purpose Potting Soil is manufactured at optimum moisture content of 45 to 55 percent.

Ideal Uses:

- Patio Planters
- Bed Prep Amendment

Available In:

- 1.5 CF Bags
- Bulk

Composition/Ingredients:

- 1/2" & 3/8" Southern Pine Bark Fines
- Canadian Sphagnum Peat Moss
- Coconut Coir
- 19-5-8 Controlled Release Fertilizer
- Phosphorous
- Starter charge and Blue Chip
- Triple Superphosphate
- Lime (Dolomitic and Hi-calcium)
- Wetting Agent

Physical Characteristics:

Air Porosity	25-30%
Water Holding Capacity	54-60%
Manufactured Moisture Content	45-55%
Dry Bulk Density	9-11 lb/ft ³
Bulk Density (@manufacturing)	18-22 lb/ft ³

pH and EC:

pH Range After Incubation	5.4-6.3
Electrical Conductivity	1.0-2.0 dS/m

Chemical Characteristics:

Extractable Nutrient Content in ppm dry weight basis

N (NO ₃ +NH ₄)	P (PO ₄)	K	Ca	Mg	Cu	Zn	Mn	Fe
400-900	200-400	1500-1800	1800-2200	1000-1400	6-11	30-35	180-230	100-130

Water Soluble Nutrient Content in ppm saturated paste (SME)

K	Ca	Mg	SO ₄	B
150-220	60-100	60-100	350-650	<0.5

Midwest Trading Partners with Waypoint Analytical to run extractable nutrient analysis to determine mix suitability. An "A17" analysis is available for every production run that can serve as a tool for cultural practices at time of receipt. This analysis provides a reading of nutrient availability at time of manufacturing and can vary based on moisture, temperature, and time. Ranges are approximated based on laboratory analysis. For informational purposes only and cannot be used as a warranty.

